

		SAFETY DATA	-		
in accordance	e with 1907/2006	EC (REACH, as amende	ed by 453/2010/EC	) and 29 CFR 1910.1200	
Revision date: 6 May 2015	5	Initial date of issue:	6 July 2007	<b>SDS No.</b> 13	36-20
SECTION 1: IDENTIFICATIO	ON OF THE SUB	STANCE/MIXTURE AN	D OF THE COMPA	NY/UNDERTAKING	
1.1. Product identifier					
801 Industrial & Marine Solver	nt				
1.2. Relevant identified uses	of the substan	ce or mixture and uses	advised against		
Water based cleaner. Nonflam	nmable.				
1.3. Details of the supplier o	f the safety data	a sheet			
Company: A.W. CHESTERTON COMPA 860 Salem Street Groveland, MA 01834-1507, U Tel.: +1 978-469-6446 Fax: (Mon Fri. 8:30 - 5:00 PM ES SDS requests: www.chesterto E-mail (SDS questions): Produ E-mail: customer.service@che	USA +1 978-469-678 T) n.com uctMSDSs@ches		lier:		
1.4. Emergency telephone n	umber				
24 hours per day, 7 days per v Call Infotrac: 1-800-535-5053 Outside N. America: +1 352-3		)			
SECTION 2: HAZARDS IDE	NTIFICATION				
2.1. Classification of the sub		-			
2.1.1. Classification accordin	ng to Regulation	n (EC) No 1272/2008 [C	LP] / 29 CFR 1910	.1200 / WHMIS 2015 / GI	HS
Eye Dam. 1, H318					
<b>2.1.2. Classification accordin</b> Irritant; Xi; R41	ng to Directives	1999/45/EC and 1975/3	324/EEC		
2.1.3. Classification according	ng to WHMIS 19	88			
D2B: Toxic materials causing	other effects				
2.1.4. Australian statement o	of hazardous na	ture			
Hazardous according to criteri	a of Safe Work A	Australia.			
2.1.5. Additional information	ı				
For full text of H-statements a	nd R-phrases: se	e SECTIONS 2.2 and 10	δ.		
2.2. Label elements					
Labelling according to Regu	lation (EC) No 2	1272/2008 [CLP] / 29 CF	R 1910.1200 / WH	IMIS 2015 / GHS	
Hazard pictograms:					
Signal word:	Danger				
Hazard statements:	H318	Causes serious eye dar	nage.		
Precautionary statements:	P280 P305/351/338	Wear eye/face protection IF IN EYES: Rinse cauth lenses, if present and e	iously with water fo	or several minutes. Remov	ve contact
	P310	Immediately call a POIS			
Supplemental information:	None				

## 2.3. Other hazards

If ingested in large quantities, this product could cause internal damage to the body. This hazard is reduced as dilution is increased.

increased.						
	OMPOSITION/INFORM		N INGREDIENTS			
3.2. Mixtures						<b>.</b>
Hazardous Ingi	redients <sup>1</sup>	% Wt.	CAS No./ EC No.	REACH Reg. No.	Classification (CLP/GHS)	Classification (67/548/EEC)
Tetrapotassium	pyrophosphate	5-10	7320-34-5 230-785-7	NA	Eye Irrit. 2, H319	Xi; R36
D-Glucopyranos octyl glycosides	e, oligomers, decyl	1-2.5	68515-73-1 550-220-1	01-211948 8530-36	Eye Dam. 1, H318	Xi; R41
3-Butoxypropan	-2-ol	1-5	5131-66-8 225-878-4	01-211947 5527-28	Eye Irrit. 2, H319 Skin Irrit. 2, H315	Xi; R36/38
D-Glucopyranos 16-alkyl glycosic	e, oligomeric, C10- les	1-5	110615-47-9 600-975-8	NA	Eye Dam. 1, H318 Skin Irrit. 2, H315	Xi; R38-41
Sodium hydroxid	de	1-1.4	1310-73-2 215-185-5	01-211945 7892-27	Skin Corr. 1A, H314 Eye Dam. 1, H318 Met. Corr. 1, H290	C; R35
Other ingredient Dipropylene glyc	s: col monomethyl ether	1-5	34590-94-8 252-104-2	01-211945 0011-60	Not classified*	Not classified
*Substance with	nger acc. to 67/548/EF a workplace exposure -statements and R-phr	limit.	Corrosive; Xi: Irrita	ant		
<sup>1</sup> Classified accord		67/548/EEC	, 99/45/EC, REACH		aw (ch. 40, M.G.LO. 111F), (	California Proposition 65
SECTION 4: FI	RST AID MEASURES					
4.1. Description	n of first aid measure	s				
Inhalation:	Remove to fresh air.	If not breat	hing, administer a	artificial respira	ation. Contact physician im	mediately.
Skin contact:	Wash skin with soap	and water.	Wash clothing be	efore reuse. C	ontact physician.	
Eye contact:	Flush eyes for at leas	st 15 minut	es with large amo	ounts of water.	Contact physician.	
Ingestion:	Do not induce vomiti physician immediate		cious, dilute stoma	ach contents w	vith large quantities of milk	or water. Contact
4.2. Most impo	rtant symptoms and e	effects, bo	th acute and del	ayed		
Severe eye irrita	int; may cause burns.					
4.3. Indication	of any immediate me	dical atten	tion and special	treatment ne	eded	
Treat symptoms						
SECTION 5: FI	RE-FIGHTING MEASU	JRES				
5.1. Extinguish	ing media					
Suitable exting	uishing media: Not	combustib	le. Use extinguisl	hing media sui	table for the surrounding f	ire.
Unsuitable exti	nguishing media: N	lone knowr	ı			
5.2. Special haz	zards arising from the	e substanc	e or mixture			
None						
5.3. Advice for	firefighters					
None						
Flammability C	lassification: –					
HAZCHEM Eme	ergency Action Code:	not ap	plicable			
SECTION 6: A	CCIDENTAL RELEAS	E MEASUF	RES			
	recautions, protective			cy procedure	S	
Evenuete erze						

Evacuate area. Provide adequate ventilation. Utilize exposure controls and personal protection as specified in Section 8.

#### **6.2. Environmental Precautions**

No special precautions.

#### 6.3. Methods and material for containment and cleaning up

Contain spill to a small area. Pick up with absorbent material (sand, sawdust, clay, etc.) and place in a suitable container for disposal. Carefully flush area with water. Diluted acetic acid may be used to neutralize only the final traces after flushing.

## 6.4. Reference to other sections

Refer to section 13 for disposal advice.

#### SECTION 7: HANDLING AND STORAGE

#### 7.1. Precautions for safe handling

Alkaline materials sometimes exhibit delayed effects. Wash immediately after any contact. Utilize exposure controls and personal protection as specified in Section 8.

#### 7.2. Conditions for safe storage, including any incompatibilities

Store in a cool, dry area.

#### 7.3. Specific end use(s)

No special precautions.

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

## 8.1. Control parameters

#### Occupational exposure limit values

Ingredients	OSH/ ppm	A PEL <sup>1</sup> mg/m <sup>3</sup>	ACGIH ppm	I TLV <sup>2</sup> mg/m <sup>3</sup>	UK N ppm	NEL <sup>3</sup> mg/m <sup>3</sup>	AUSTR# ppm	ALIA ES⁴ mg/m³
Tetrapotassium pyrophosphate	-	_	_	_	_	-	-	_
D-Glucopyranose, oligomers, decyl octyl glycosides	_	-	_	_	-	_	_	-
3-Butoxypropan-2-ol	-	_	-	-	_	-	-	-
D-Glucopyranose, oligomeric, C10-16-alkyl glycosides	_	-	-	_	-	_	-	-
Sodium hydroxide	-	2	(Ceiling)	2	-	STEL: 2	(Ceiling)	2
Dipropylene glycol monomethyl ether	100 (skin)	600	100 (skin) STEL: 150	606 909	50	308	50 (skin)	308

<sup>1</sup> United States Occupational Health & Safety Administration permissible exposure limits.

<sup>2</sup> American Conference of Governmental Industrial Hygienists threshold limit values.

<sup>3</sup> EH40 Workplace exposure limits, Health & Safety Executive

<sup>4</sup> Adopted National Exposure Standards for Atmospheric Contaminants in the Occupational Environment [NOHSC:1003].

## 8.2. Exposure controls

## 8.2.1. Engineering measures

Use only in well-ventilated areas. If exposure limits are exceeded, supplement with local mechanical exhaust.

8.2.2. Individual protection measures

Respiratory protection:	Not normally needed. If exposure limits are exceeded, use approved organic, acid/base respirator
	(e.g., EN filter type A-P2).

Protective gloves: Waterproof gloves (e.g., rubber)

Eye and face protection: Safety glasses

**Other:** Rubber apron, rubber boots and other impervious clothing as necessary to prevent skin contact.

## 8.2.3. Environmental exposure controls

Refer to sections 6 and 12.

Date: 6 May 2015

SECTION 9: PHYSICAL AND	CHEMICAL PROPERTIES		
9.1. Information on basic ph	ysical and chemical properties		
Physical state Colour Initial boiling point Melting point	red ( 100°C (212°F) ( 0°C (32°F) 9	Ddour Ddour threshold /apour pressure @ 20°C ⁄6 Aromatics by weight	mild not determined not determined 0%
% Volatile (by volume) Flash point Method Viscosity Autoignition temperature Decomposition temperature Upper/lower flammability or explosive limits	NoneFPM Closed CupV2 cps @ 25°CCnot determinedVno data availableF	oH Relative density Veight per volume Coefficient (water/oil) /apour density (air=1) Rate of evaporation (ether=1) Solubility in water	13 1.078 kg/l 8.97 lbs/gal. > 1 > 1 < 1 complete
Flammability (solid, gas) Explosive properties	not applicable <b>C</b> not applicable	Dxidising properties	not applicable
9.2. Other information			
EPA 24: 0.42 lbs/gal.			
SECTION 10: STABILITY AN	ID REACTIVITY		
10.1. Reactivity			
Refer to sections 10.3 and 10.	5.		
10.2. Chemical stability			
Stable			
10.3. Possibility of hazardou	s reactions		
-	n under conditions of normal use.		
10.4. Conditions to avoid			
None			
10.5. Incompatible materials			
Aluminum and zinc metals and			
10.6. Hazardous decomposit	lion products		
None			
SECTION 11: TOXICOLOGIC			
11.1. Information on toxicolo	-		
Primary route of exposure under normal use:	Inhalation, skin and eye contact. P exposure.	ersonnel with pre-existing derma	atitis are generally aggravated by
Acute toxicity -			
Oral:			
	Substance	Test	Result
	Tetrapotassium pyrophosphate D-Glucopyranose, oligomers, dec	LD50, rat yl octyl LD50, rat	> 2980 mg/kg > 2000 mg/kg
	glycosides + D-Glucopyranose, oligomeric, C10-16-alkyl glycoside		> 2000 mg/kg
	3-Butoxypropan-2-ol	LD50, rat	3300 mg/kg
	Sodium hydroxide	LD50, rat	300-500 mg/kg
	Dipropylene glycol monomethyl et		5135 mg/kg

Dermal:			
	Substance	Test	Result
	Tetrapotassium pyrophosphate	LD50, rabbit	> 7940 mg/kg
	D-Glucopyranose, oligomers, decyl octyl glycosides + D-Glucopyranose, oligomeric, C10-16-alkyl glycosides	LD50, rabbit	> 5000 mg/kg
	3-Butoxypropan-2-ol	LD50, rat	> 2000 mg/kg
	Sodium hydroxide	LD50, rabbit	> 2000 mg/kg
	Dipropylene glycol monomethyl ether	LD50, rabbit	9510 mg/kg
		ED30, Tabbit	9510 mg/kg
Inhalation:			
	Substance	Test	Result
	Tetrapotassium pyrophosphate	LC50, rat, 4 h	> 1.1 mg/l (dust, maximum attainable concentration)
	3-Butoxypropan-2-ol	LC50, rat, 4 h	> 651 ppm (vapor, maximum attainable concentration)
	Dipropylene glycol monomethyl ether	LC50, rat, 7 h	> 500 ppm (vapor saturation level)
Skin corrosion/irritation:	Irritating to skin.		
	Substance	Test	Result
	Tetrapotassium pyrophosphate	Skin irritation, rabbit	Not irritating
	D-Glucopyranose, oligomers, decyl octyl glycosides	Skin irritation, rabbit	Not irritating
	3-Butoxypropan-2-ol	Skin irritation, rabbit	Irritating
	Sodium hydroxide	Skin irritation, rabbit	Corrosive
	Dipropylene glycol monomethyl ether	Skin irritation, rabbit	Not irritating
	D-Glucopyranose, oligomeric, C10-16- alkyl glycosides	Skin irritation, rabbit	Irritating
Serious eye damage/ irritation:	Irritating to eyes. Substance Tetrapotassium pyrophosphate D-Glucopyranose, oligomers, decyl octyl glycosides + D-Glucopyranose, oligomeric, C10-16-alkyl glycosides	Test Eye irritation, rabbit Eye irritation, (Draize)	Result Moderate irritation Serious eye damage/irritation
	3-Butoxypropan-2-ol	Eye irritation, rabbit	Not irritating / Irritating
	Sodium hydroxide	Eye irritation, rabbit	Corrosive
	Dipropylene glycol monomethyl ether	Eye irritation, human	Not irritating
Respiratory or skin sensitisation:	Hazardous ingredients: based on available	data, the classification criteria	are not met.
Germ cell mutagenicity:	Hazardous ingredients: based on available	data, the classification criteria	are not met.
Carcinogenicity:	As per 29 CFR 1910.1200 (Hazard Commu by the National Toxicology Program (NTP), (IARC), the Occupational Safety and Health 1272/2008.	the International Agency for R	esearch on Cancer
Reproductive toxicity:	Tetrapotassium pyrophosphate, Sodium hy criteria are not met. 3-Butoxypropan-2-ol, D Glucopyranose, oligomeric, C10-16-alkyl gl animal studies, did not interfere with reprod	D-Glucopyranose, oligomers, de lycosides, Dipropylene glycol m	cyl octyl glycosides, D-

Other information: None known	
Aspiration hazard: Based on availab	le data, the classification criteria are not met.
STOT-repeated exposure: Hazardous ingred	lients: based on available data, the classification criteria are not met.
STOT-single exposure: Hazardous ingred	lients: based on available data, the classification criteria are not met.

#### SECTION 12: ECOLOGICAL INFORMATION

Ecotoxicological data have not been determined specifically for this product. The information given below is based on a knowledge of the components and the ecotoxicology of similar substances.

#### 12.1. Toxicity

Many aquatic species are intolerant of pH levels in excess of 10.

#### 12.2. Persistence and degradability

DPGME D-Glucopyranose, oligomers, decyl octyl glycosides, D-Glucopyranose, oligomeric, C10-16-alkyl glycosides, 3-Butoxypropan-2-ol: readily biodegradable. The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) N° 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them at their direct request or at the request of a detergent manufacturer. Sodium hydroxide, Tetrapotassium pyrophosphate: inorganic substances.

## 12.3. Bioaccumulative potential

DPGME, 3-Butoxypropan-2-ol: low potential for bioaccumulation (BCF < 100 or log Kow < 3). D-Glucopyranose, oligomers, decyl octyl glycosides, D-Glucopyranose, oligomeric, C10-16-alkyl glycosides: low potential for bioaccumulation.

#### 12.4. Mobility in soil

Liquid. Soluble in water. DPGME, 3-Butoxypropan-2-ol: expected to have very high mobility in soils. In determining environmental mobility, consider the product's physical and chemical properties (see Section 9).

# 12.5. Results of PBT and vPvB assessment

Not available

#### 12.6. Other adverse effects

None known

#### SECTION 13: DISPOSAL CONSIDERATIONS

## 13.1. Waste treatment methods

Incinerate or landfill absorbed material. Liquids may be amenable for water treatment with absorption of organics after neutralization. Check local, state and national/federal regulations and comply with the most stringent requirement. This product is classified as a hazardous waste according to 2008/98/EC.

#### European List of Wastes code: 20 01 29

#### SECTION 14: TRANSPORT INFORMATION

14.1. UN number	
ADR/RID/ADN/IMDG/ICAO:	NOT APPLICABLE
TDG:	NOT APPLICABLE
US DOT:	NOT APPLICABLE
14.2. UN proper shipping name	
ADR/RID/ADN/IMDG/ICAO:	NON-HAZARDOUS, NON REGULATED
TDG:	NON-HAZARDOUS, NON REGULATED
US DOT:	NON-HAZARDOUS, NON REGULATED
14.3. Transport hazard class(es)	
ADR/RID/ADN/IMDG/ICAO:	NOT APPLICABLE
TDG:	NOT APPLICABLE
US DOT:	NOT APPLICABLE
14.4. Packing group	
ADR/RID/ADN/IMDG/ICAO:	NOT APPLICABLE
TDG:	NOT APPLICABLE
US DOT:	NOT APPLICABLE
14.5. Environmental hazards	
NOT APPLICABLE	
14.6. Special precautions for user	
NOT APPLICABLE	
14.7. Transport in bulk according to	Annex II of MARPOL73/78 and the IBC Code
NOT APPLICABLE	

#### 14.8. Other information NOT APPLICABLE SECTION 15: REGULATORY INFORMATION 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture 15.1.1. EU regulations Authorisations under Title VII: Not applicable **Restrictions under Title VIII:** None Other EU regulations: Regulation (EC) No 648/2004 on detergents, Directive 94/33/EC on the protection of young people at work. 15.1.2. National regulations Hazardous Materials Identification System (HMIS) US EPA SARA TITLE III 4 = Severe Hazard HEALTH 312 Hazards: 313 Chemicals: 2 3 = Serious Hazard Immediate None FLAMMABILITY 0 2 = Moderate Hazard 1 = Slight Hazard 1 PHYSICAL HAZARD 0 = Minimal Hazard \* = See Section 8 **Personal Protection** \* National implementation of the EC Directive referred to in section 15.1.1. Other national regulations: 15.2. Chemical safety assessment No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier. SECTION 16: OTHER INFORMATION Abbreviations ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways and acronyms: ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road ATE: Acute Toxicity Estimate **BCF: Bioconcentration Factor** CLP: Classification Labelling Packaging Regulation (1272/2008/EC) ES: Exposure Standard GHS: Globally Harmonized System ICAO: International Civil Aviation Organization IMDG: International Maritime Dangerous Goods LC50: Lethal Concentration to 50 % of a test population LD50: Lethal Dose to 50% of a test population LOEL: Lowest Observed Effect Level N/A: Not Applicable NA: Not Available NOAEL: No Observed Adverse Effect Level NOEL: No Observed Effect Level OECD: Organization for Economic Co-operation and Development PBT: Persistent, Bioaccumulative and Toxic substance (Q)SAR: Quantitative Structure-Activity Relationship REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (1907/2006/EC) RID: Regulations concerning the International Carriage of Dangerous Goods by Rail SDS: Safety Data Sheet STEL: Short Term Exposure Limit STOT: Specific Target Organ Toxicity TDG: Transportation of Dangerous Goods (Canada) US DOT: United States Department of Transportation vPvB: very Persistent and very Bioaccumulative substance WEL: Workplace Exposure Limit WHMIS: Workplace Hazardous Materials Information System Other abbreviations and acronyms can be looked up at www.wikipedia.org. Commission de la santé et de la sécurité du travail (CSST) **Key literature references** and sources for data: Chemical Classification and Information Database (CCID) European Chemicals Agency (ECHA) - Information on Chemicals Hazardous Substances Information System (HSIS) National Institute of Technology and Evaluation (NITE) Swedish Chemicals Agency (KEMI) U.S. National Library of Medicine Toxicology Data Network (TOXNET)

Classification	Classification procedure
Eye Dam. 1, H318	On basis of test data
H: H: H:	0: May be corrosive to metals. 4: Causes severe skin burns and eye damage. 5: Causes skin irritation. 8: Causes serious eye damage. 9: Causes serious eye irritation.
R36/3	auses severe burns. : Irritating to eyes and skin. isk of serious damage to eyes.
Hazard pictogram names:	orrosion
Changes to the SDS in this i	vision: Sections 2.1, 2.2, 3, 4.2, 8.1, 11, 12.2, 12.3, 16.
Further information: None	

This information is based solely on data provided by suppliers of the materials used, not on the mixture itself. No warranty is expressed or implied regarding the suitability of the product for the user's particular purpose. The user must make their own determination as to suitability.