

SAFETY DATA SHEET

in accordance with 1907/2006/EC (REACH, as amended by 2015/830/EU) and 29 CFR 1910.1200

Revision date: 28 April 2016 **Initial date of issue:** 5 July 2007 **SDS No.** 115-20

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

346 Descaler & Chemical Cleaner

1.2. Relevant identified uses of the substance or mixture and uses advised against

This product is a nonflammable acid-based cleaner.

1.3. Details of the supplier of the safety data sheet

Company:

A.W. CHESTERTON COMPANY
860 Salem Street
Groveland, MA 01834-1507, USA
Tel. +1 978-469-6446 Fax: +1 978-469-6785
(Mon. - Fri. 8:30 - 5:00 PM EST)
SDS requests: www.chesterton.com
E-mail (SDS questions): ProductMSDSs@chesterton.com
E-mail: customer.service@chesterton.com
EU: Chesterton International GmbH, Am Lenzenfleck 23,
D85737 Ismaning, Germany – Tel. +49-89-996-5460

Supplier:

1.4. Emergency telephone number

24 hours per day, 7 days per week
Call Infotrac: 1-800-535-5053
Outside N. America: +1 352-323-3500 (collect)

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

2.1.1. Classification according to Regulation (EC) No 1272/2008 [CLP] / 29 CFR 1910.1200 / WHMIS 2015 / GHS

Skin Corr. 1B, H314
STOT SE 3, H335
Met. Corr. 1, H290

2.1.2. Classification according to WHMIS 1988

D1B: Toxic materials causing immediate and serious effects; E: Corrosive materials

2.1.3. Australian statement of hazardous nature

Hazardous according to criteria of Safe Work Australia.

2.1.4. Additional information

For full text of H-statements: see SECTIONS 2.2 and 16.

2.2. Label elements

Labelling according to Regulation (EC) No 1272/2008 [CLP] / 29 CFR 1910.1200 / WHMIS 2015 / GHS

Hazard pictograms:



Signal word:

Danger

Hazard statements:

H314	Causes severe skin burns and eye damage.
H335	May cause respiratory irritation.
H290	May be corrosive to metals.

Precautionary statements: P260 Do not breathe mist/vapours/spray.
 P280 Wear protective gloves, protective clothing and eye/face protection.
 P303/361/353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
 P305/351/338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P301/330/331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting.
 P310 Immediately call a POISON CENTER or doctor/physician.
 P390 Absorb spillage to prevent material damage.

Supplemental information: None

2.3. Other hazards

If ingested, this product could cause internal damage to the body. This hazard is reduced as dilution is increased.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixtures

Hazardous Ingredients ¹	% Wt.	CAS No./ EC No.	REACH Reg. No.	CLP/GHS Classification
Hydrochloric Acid	20-30	7647-01-0 231-595-7	NA	Skin Corr. 1B, H314 STOT SE 3, H335 Met. Corr. 1, H290

For full text of H-statements: see SECTION 16.

¹ Classified according to: * 29 CFR 1910.1200, 1915, 1916, 1917, Mass. Right-to-Know Law (ch. 40, M.G.L.O. 111F), California Proposition 65
 * 1272/2008/EC, REACH
 * WHMIS 2015
 * Safe Work Australia [NOHSC: 1008 (2004)]

SECTION 4: FIRST AID MEASURES

4.1. Description of first aid measures

Inhalation: Remove to fresh air. If not breathing, administer artificial respiration. Contact physician immediately.
Skin contact: Flood area with water while removing contaminated clothing. Wash clothing before reuse. Consult physician.
Eye contact: Flush eyes for at least 30 minutes with large amounts of water. Contact physician if irritation persists.
Ingestion: Do not induce vomiting. If conscious, dilute stomach contents with limewater or milk and milk of magnesia. Contact physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

Corrosive to eyes, skin and mucous membranes, which can result in strong irritation, burning and tissue damage. Prolonged or repeated contact can cause ulceration of mucous membranes and skin.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptoms.

SECTION 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Suitable extinguishing media: Nonflammable. Use extinguisher appropriate to the surrounding fire.

Unsuitable extinguishing media: Not applicable

5.2. Special hazards arising from the substance or mixture

None

5.3. Advice for firefighters

Cool exposed containers with water. Recommend Firefighters wear self-contained breathing apparatus.

Flammability Classification: –

HAZCHEM Emergency Action Code: not applicable

SECTION 6: ACCIDENTAL RELEASE MEASURES**6.1. Personal precautions, protective equipment and emergency procedures**

Evacuate area. Provide adequate ventilation. Utilize exposure controls and personal protection as specified in Section 8.

6.2. Environmental Precautions

Keep out of sewers, streams and waterways.

6.3. Methods and material for containment and cleaning up

Contain spill to a small area. Pick up with absorbent material (sand, sawdust, clay, etc.) and place in a suitable container for disposal. Carefully flush area with water. Lime or soda ash may be used to neutralize the final traces after flushing.

6.4. Reference to other sections

Refer to section 13 for disposal advice.

SECTION 7: HANDLING AND STORAGE**7.1. Precautions for safe handling**

Store and mix in non-metallic containers, preferably plastic. Rubber gloves, apron and eye protection must be worn while transferring this product. Wash thoroughly after handling. Wash contaminated clothing before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Store in a cool, dry area in non-metallic containers.

7.3. Specific end use(s)

No special precautions.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**8.1. Control parameters****Occupational exposure limit values**

Ingredients	OSHA PEL ¹		ACGIH TLV ²		UK WEL ³		AUSTRALIA ES ⁴	
	ppm	mg/m ³	ppm	mg/m ³	ppm	mg/m ³	ppm	mg/m ³
Hydrochloric Acid	5	7	2	–	1	2	5	7.5
	(Ceiling)		(Ceiling)		STEL:	STEL:	(Peak)	
					5	8		

¹ United States Occupational Health & Safety Administration permissible exposure limits.

² American Conference of Governmental Industrial Hygienists threshold limit values.

³ EH40 Workplace exposure limits, Health & Safety Executive

⁴ Adopted National Exposure Standards for Atmospheric Contaminants in the Occupational Environment [NOHSC:1003].

8.2. Exposure controls**8.2.1. Engineering measures**

Provide sufficient ventilation to keep the vapor concentrations below the exposure limit. If exposure limit is exceeded, supplement with local mechanical exhaust.

8.2.2. Individual protection measures

Respiratory protection: Not normally needed. If exposure limit is exceeded, use approved acid/base respirator (e.g., EN filter type E-P2).

Protective gloves: Chemical resistant gloves (e.g., natural rubber, neoprene or PVC)

Eye and face protection: Safety goggles.

Other: Rubber apron, rubber boots and other impervious clothing as necessary to prevent skin contact.

8.2.3. Environmental exposure controls

Refer to sections 6 and 12.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**9.1. Information on basic physical and chemical properties**

Physical state	liquid	Odour	acidic
Colour	colorless	Odour threshold	not determined
Initial boiling point	> 100°C (>212°F)	Vapour pressure @ 20°C	not determined
Melting point	not determined	% Aromatics by weight	0%
% Volatile (by volume)	96.8%	pH	0.5
Flash point	not applicable	Relative density	1.15 kg/l
Method	not applicable	Weight per volume	9.58 lbs/gal.
Viscosity	not determined	Coefficient (water/oil)	> 1
Autoignition temperature	not determined	Vapour density (air=1)	> 1
Decomposition temperature	not determined	Rate of evaporation (ether=1)	< 1
Upper/lower flammability or explosive limits	not determined	Solubility in water	complete
Flammability (solid, gas)	not applicable	Oxidising properties	none
Explosive properties	not applicable		

9.2. Other information

None

SECTION 10: STABILITY AND REACTIVITY**10.1. Reactivity**

Refer to sections 10.3 and 10.5.

10.2. Chemical stability

Stable

10.3. Possibility of hazardous reactions

No dangerous reactions known under conditions of normal use.

10.4. Conditions to avoid

None

10.5. Incompatible materials

Hydrochloric Acid reacts with metal to generate Hydrogen and heat.

10.6. Hazardous decomposition products

Hydrogen Chloride and other toxic fumes

SECTION 11: TOXICOLOGICAL INFORMATION**11.1. Information on toxicological effects****Primary route of exposure under normal use:** Skin and eye contact.**Acute toxicity -****Oral:**

Substance	Test	Result
Hydrochloric Acid	LD50, rabbit	900 mg/kg

Dermal:

Substance	Test	Result
Hydrochloric Acid	LD50, rabbit	> 5010 mg/kg

Inhalation:

Substance	Test	Result
Hydrochloric Acid	LC50, mouse, 1 h	1108 ppm
Hydrochloric Acid	LC50, rat, 1 h	3124 ppm
Hydrochloric Acid	LC50 (aerosol) rat, 30 min.	8.3 mg/l

Skin corrosion/irritation: Corrosive to eyes, skin and mucous membranes, which can result in strong irritation, burning and tissue damage. Prolonged or repeated contact can cause ulceration of mucous membranes and skin.**Serious eye damage/irritation:** Risk of serious damage to eyes.

Respiratory or skin sensitisation:

Substance	Test	Result
Hydrochloric Acid	Skin sensitization, guinea pig	Not sensitizing
Hydrochloric Acid	Skin sensitization, human	Not sensitizing

Germ cell mutagenicity: Hydrochloric Acid, Ames test: negative.

Carcinogenicity: As per 29 CFR 1910.1200 (Hazard Communication), this product contains no carcinogens as listed by the National Toxicology Program (NTP), the International Agency for Research on Cancer (IARC), the Occupational Safety and Health Administration (OSHA) or Regulation (EC) No 1272/2008.

Reproductive toxicity: Not expected to be a reproductive toxicant.

STOT-single exposure: May cause respiratory irritation.

STOT-repeated exposure: Hydrochloric Acid: based on available data, the classification criteria are not met.

Aspiration hazard: Based on available data, the classification criteria are not met.

Other information: None known

SECTION 12: ECOLOGICAL INFORMATION

Ecotoxicological data have not been determined specifically for this product. The information given below is based on a knowledge of the components and the ecotoxicology of similar substances.

12.1. Toxicity

Many aquatic species are intolerant of pH levels below 4.

12.2. Persistence and degradability

Hydrochloric Acid: inorganic substance. The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) N° 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them at their direct request or at the request of a detergent manufacturer.

12.3. Bioaccumulative potential

Hydrochloric Acid: not expected to bioaccumulate.

12.4. Mobility in soil

Liquid. Soluble in water. In determining environmental mobility, consider the product's physical and chemical properties (see Section 9).

12.5. Results of PBT and vPvB assessment

Not available

12.6. Other adverse effects

None known

SECTION 13: DISPOSAL CONSIDERATIONS**13.1. Waste treatment methods**

Incinerate absorbed material with a properly licensed facility. Material may be amenable to neutralization and discharge to a wastewater treatment system. This product is classified as a hazardous waste according to 2008/98/EC. Check local, state and national/federal regulations and comply with the most stringent requirement.

SECTION 14: TRANSPORT INFORMATION**14.1. UN number**

ADR/RID/ADN/IMDG/ICAO:	UN1789
TDG:	UN1789
US DOT:	UN1789

14.2. UN proper shipping name

ADR/RID/ADN/IMDG/ICAO:	HYDROCHLORIC ACID SOLUTION
TDG:	HYDROCHLORIC ACID SOLUTION
US DOT:	HYDROCHLORIC ACID SOLUTION

14.3. Transport hazard class(es)

ADR/RID/ADN/IMDG/ICAO:	8
TDG:	8
US DOT:	8

14.4. Packing group

ADR/RID/ADN/IMDG/ICAO:	II
TDG:	II

US DOT: II

14.5. Environmental hazards

NO ENVIRONMENTAL HAZARDS

14.6. Special precautions for user

NOT APPLICABLE

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

NOT APPLICABLE

14.8. Other information

US DOT: ERG NO.157

IMDG: EmS F-A, S-B

ADR: Classification code C1, Tunnel restriction code (E)

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU regulations

Authorisations under Title VII: Not applicable

Restrictions under Title VIII: None

Other EU regulations: Regulation (EC) No 648/2004 on detergents. Directive 94/33/EC on the protection of young people at work.

15.1.2. National regulations

US EPA SARA TITLE III

312 Hazards:

Immediate

313 Chemicals:

Hydrochloric Acid

20-30%

Other national regulations: National implementation of the EC Directive referred to in section 15.1.1.

15.2. Chemical safety assessment

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

SECTION 16: OTHER INFORMATION

Abbreviations and acronyms: ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
 ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road
 ATE: Acute Toxicity Estimate
 BCF: Bioconcentration Factor
 CLP: Classification Labelling Packaging Regulation (1272/2008/EC)
 ES: Exposure Standard
 GHS: Globally Harmonized System
 ICAO: International Civil Aviation Organization
 IMDG: International Maritime Dangerous Goods
 LC50: Lethal Concentration to 50 % of a test population
 LD50: Lethal Dose to 50% of a test population
 LOEL: Lowest Observed Effect Level
 N/A: Not Applicable
 NA: Not Available
 NOEC: No Observed Effect Concentration
 NOEL: No Observed Effect Level
 OECD: Organization for Economic Co-operation and Development
 PBT: Persistent, Bioaccumulative and Toxic substance
 (Q)SAR: Quantitative Structure-Activity Relationship
 REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (1907/2006/EC)
 RID: Regulations concerning the International Carriage of Dangerous Goods by Rail
 SDS: Safety Data Sheet
 STEL: Short Term Exposure Limit
 STOT RE: Specific Target Organ Toxicity, Repeated Exposure
 STOT SE: Specific Target Organ Toxicity, Single Exposure
 TDG: Transportation of Dangerous Goods (Canada)
 US DOT: United States Department of Transportation
 vPvB: very Persistent and very Bioaccumulative substance
 WEL: Workplace Exposure Limit
 WHMIS: Workplace Hazardous Materials Information System
 Other abbreviations and acronyms can be looked up at www.wikipedia.org.

Key literature references and sources for data: Commission des normes, de l'équité, de la santé et de la sécurité du travail (CNESST)
 Commission des normes, de l'équité, de la santé et de la sécurité du travail (CNESST)
 Chemical Classification and Information Database (CCID)
 European Chemicals Agency (ECHA) - Information on Chemicals
 Hazardous Substances Information System (HSIS)
 National Institute of Technology and Evaluation (NITE)
 Swedish Chemicals Agency (KEMI)
 U.S. National Library of Medicine Toxicology Data Network (TOXNET)

Procedure used to derive the classification for mixtures according to Regulation (EC) No 1272/2008 [CLP] / GHS:

Classification	Classification procedure
Skin Corr. 1B, H314	Calculation method
STOT SE 3, H335	Bridging principle "Dilution"
Met. Corr. 1, H290	Bridging principle "Dilution"

Relevant H-statements: H314: Causes severe skin burns and eye damage.
 H290: May be corrosive to metals.
 H335: May cause respiratory irritation.

Hazard pictogram names: Corrosion, exclamation mark

Changes to the SDS in this revision: Sections 1.3, 2.1, 2.2, 3, 8.1, 9.1, 11, 15.1.2, 16.

Date of last revision: 28 April 2016

Further information: None

This information is based solely on data provided by suppliers of the materials used, not on the mixture itself. No warranty is expressed or implied regarding the suitability of the product for the user's particular purpose. The user must make their own determination as to suitability.